



UK Health
Security
Agency

NHS **CARE**



A guide to the spring 2025 COVID-19 vaccination programme

Large print version

A guide to the spring 2025 COVID-19 vaccination programme

A leaflet from the UK Health Security Agency, NHS and Care

People aged 75 years and older, residents in care homes for older people, and those aged 6 months and over with a weakened immune system will be offered a dose of coronavirus (COVID-19) vaccine this spring.

Who is being offered a spring vaccine?

COVID-19 is more serious in older people and in people with certain underlying health conditions. For these reasons, people aged 75 years and over, those in care homes for older adults, and those aged 6 months and over with a weakened immune system are being offered a spring dose of COVID-19 vaccine.

Timing of the spring vaccine

You should be offered an appointment between April and June, with those at highest risk being called in first. You will be invited to have your booster around 6 months after your last dose, but you can have it as soon as 3 months.

If you are turning 75 years of age between April and June, you do not have to wait until your birthday, you can attend when you are called for vaccination.

Which vaccine will you be offered?

You will be given a booster dose of a vaccine made by Pfizer or Moderna and approved in the UK. These vaccines have been updated since the original vaccines and target a different COVID-19 variant. These updated vaccines boost protection well, and give slightly higher levels of antibody against the more recent strains of COVID-19 (Omicron).

As we cannot predict which variants of COVID-19 will be circulating this spring and summer, the Joint Committee on Vaccination and Immunisation (JCVI) have concluded that the same vaccine used in the later weeks of the autumn 2024 programme should be used.

Please accept the vaccination that is offered to you as soon as you are able to – you will be offered the right vaccine for you at the right time.

Who cannot take up the offer of a spring vaccine

There are very few eligible people who should not have a dose this spring. If you have had a severe reaction to a previous dose of the vaccine you should discuss this with your doctor.

Side effects

Common side effects:

As with your previous dose, the common side effects are the same for all COVID-19 vaccines, including the updated vaccines being used this spring and include:

- having a painful, heavy feeling and tenderness in the arm where you had your injection. This tends to be worst around 1 to 2 days after the vaccine
- feeling tired
- headache
- general aches or mild flu-like symptoms

You can rest and take paracetamol (follow the dose advice in the packaging) to help you feel better.

Side effects following vaccination normally last less than a week. If your symptoms seem to get worse or if you are concerned, you can contact NHS 111 by phone, online at 111.nhs.uk, by **NHS 111 British Sign Language (BSL) interpreter service** via www.nhs.uk/111 or by text relay on **18001 111**.

You can also report suspected side effects of vaccines and medicines. Please use the contact information for the scheme at the end of this leaflet.

Serious side effects:

Cases of inflammation of the heart (called myocarditis or pericarditis) have been reported very rarely after both the Pfizer and Moderna COVID-19 vaccines. These cases have been seen mostly in younger men and within several days of vaccination. Most of the people affected have felt better and recovered quickly following rest and simple treatments. You should seek medical advice urgently if, after vaccination, you experience:

- chest pain
- shortness of breath
- feelings of having a fast-beating, fluttering or pounding heart

If you had a serious side effect after a previous dose you may be advised to avoid or delay further vaccination. You should discuss this with your doctor or specialist. You can find out how to report any side effects at the end of this leaflet.

What should you do if you are not well on the day of your appointment?

If you are unwell, wait until you have recovered to have your vaccine. You should not attend an appointment if you have a fever or think you might be infectious to others.

Can you still catch COVID-19 after having the vaccine?

The COVID-19 vaccine will reduce the chance of you becoming severely unwell from COVID-19 this spring and summer. It may take a few days for your body to build up some extra protection from the dose. Like all medicines, no vaccine is completely effective. Some people may still get COVID-19 despite having a vaccination, but any infection should be less severe.

If you have not had all your vaccinations

If you are eligible but have not been vaccinated before or have missed a previous dose, you should still have one dose this spring. Most people do not need extra doses to make up for those they have missed. If you have a severely weakened immune system your doctor may advise an extra dose three months after you have the spring vaccine.

Will I have to wait after my vaccine?

If you have a history of allergies, or if you had a reaction immediately after a previous dose, you may be advised to stay for 15 minutes after the vaccine. Please make sure you tell the vaccinator.

Further information

You can find more information in the following COVID-19 guides.

To find out more about the coronavirus vaccination on NHS.UK visit: qrco.de/nhsb

An information leaflet on what to expect after vaccination is available to download or order at: qrco.de/expect

For more details on your vaccine, including possible side effects, use the following links.

For Pfizer vaccines:

- adults and young people aged 12 years and over:
qrco.de/pfizer_spring_1
- children aged 5 to 11 years of age:
qrco.de/pfizer_spring_2
- children aged 6 months to 4 years:
qrco.de/pfizer_spring_3

And the Moderna vaccine for adults:

- qrco.de/moderna_spring

You can also report suspected side effects on the Yellow Card website at www.mhra.gov.uk/yellowcard, by calling the phone line on: **0800 731 6789** (lines open 9am to 5pm Monday to Friday) or by downloading the Yellow Card app via the website.



Getting your booster

You will be invited for your booster, your GP may offer you the vaccine, you can book using the **NHS App** or you can visit your nearest walk in vaccination site.

To find your nearest walk in site visit:
www.nhs.uk/vaccine-walk-in

To download the NHS App: **www.nhs.uk/nhs-app**



This large print leaflet is available as a standard version, in braille, audio, easy read, BSL and translated into a number of community languages.

The leaflet can be ordered or downloaded from:

www.healthpublications.gov.uk, by calling: **0300 123 1002** or by textphone: **0300 123 1003** (lines are open 8am to 6pm Monday to Friday).

© Crown copyright 2025

UK Health Security Agency gateway number: 20241127

Product code: C25SP2LP